





Enhance the beauty of your space with unique designs from **DEMOR All in one COLLECTION.**

Our products are specially crafted with cutting-edge technology to deliver premium quality surfaces. Each imagined to set a higher standard than the rest. After all, innovating the best is our attitude.





A **TILE** FOR EVERY SPACE







Made with hi-tech equipments, **Digital Glazed Vitrified Tiles** (DGVT) offer a wide variety of design, art work and surface textures like wood grain, natural marble, slate or stone. **DGV Tiles** are known for their alluring patterns that can uplift the aura of any ambiance. Being less porous as well as stain and scratch resistant in nature, **DGV Tiles** would take up less maintenance and deliver the classic look of sophistication you seek.





Lyon Grey Polished Lyon Bianco Polished





Avenue Beige Polished






Skyline Light Polished Skyline Dark





Capri Ice Polished Kalos Rust Polished









Angel Coco Polished




Angel Mushroom Polished



Angel Grey Polished













Alpes Nero Polished



Trevi Polished



Lotus White Polished



08








Gala Metal Mocha Polished



Arena Gris Polished



Arena Steel Polished











Botticino New Polished



Tuscon Beige Polished



Dyna Pearl Polished



Glamour Gris Polished



Glamour Crema Polished



Empradoor Beige Polished



Zara Polished







Statuario New Polished



Carara Polished



Stanley Ash Polished



Stanley Grey Polished



Stanley Steel Polished



Stanley Beige Polished



Stanley Bronze Polished









Dana Beige Polished



Ninja Natural Polished




Rossalia Polished











Liberty Dark Matt



Nexo Light Grey Matt



Nexo Dark Grey Matt










Haut Crema Matt







Macaw Cloud Matt
















Urban Nero Matt

Urban Brown Matt





Sabbia Grey Matt

Sabbia Beige Matt





Matt Sabbia Moon

Sabbia Brown Matt









Neo Mocha Matt



Habitat Ocre Matt



Forest Brown Matt




Woodplex Natural Matt




Tango Naranja Matt



16







Sugar

Sugar













Empire Graffto Smoggy Satin



Kremline Ice Smoggy Satin



Kremline Earth Smoggy Satin



Dyna Smoggy Satin




Crema Smoggy Satin





Kalos Grey Smoggy Satin

DGVT





Habitat Ocre

MATT

MATT

Woodplex Natural









Zara Polished Baltico Crema Polished Baltico Mushroom Polished







Polished Italia Crema

Opal Gris New


Crema Perfetta Light

Polished











Dyna Pearl Polished







Rossalia Polished Madrid Beige Polished Emprador Maze Polished







Opal Beige





Polished 8008 | Thunder Polished 8001 | Empara







8006 | Auro Polished 8002 | Jigo Polished 8007 | Armani Polished









8009 | Statuario New Polished Pearl Onyx Grey Polished

DGVT







Empire Coco Light Matt



Empire Brown Light Matt







Linio Grey



Habitat Ocre Matt











Boston Wenge Matt




Vanilla Gris Matt



Vanilla Beige



Vanilla Camel



Matt




DGVT













Kremlin Earth Smoggy



























Signature Bianco

Matt

Signature Grey


Signature Crema

Neo Mocha

Matt Signature Brown

Matt

Matt



























Vanilla Beige



Vanilla Gris

Matt

Vanilla Nero Matt















Nova Crystal Mocha



Nova Crystal Gris



Fusion Crystal Bianco

Sugar



Sugar




Fusion Crystal Graffito Sugar



Greta Grace

River Wash





600x1200mm | 600x600mm - Full Body 600x600mm (14mm) - Full Colour Body



600x1200mm (Full Body Vitrified Tiles)







Neptune Stone Gris Lappato



Neptune Stone Bianco Lappato



Neptune Stone Grigio Lappato














Neptune Stone Gris Matt







Neptune Stone Grigio Matt



600x1200mm (Full Body Vitrified Tiles)










Marco Finestone Marron Matt



Marco Finestone Antracita Matt




Marco Finestone Gris Matt












600x600mm (Full Body Vitrified Tiles)











Marco Finestone Antracita Matt

Marco Finestone Gris

Matt Marco Finestone Marron

Marco Finestone Crema

Matt













Alfa Marfil



Alfa Beige

Matt



Alfa Grey



Matt



Alfa Nero



Terrazzo Beige

Matt



Terrazzo Olive



Terrazzo Crema Matt



14mm-600x600mm (Full Colour Body Tiles)











To bring the earthy appeal into your homes, we created matt finish tiles known as **Robustone**. They don't just resemble the beauty of natural stones, but also possess the rock solid strength of a stone. Built with avant-grade technology, **Robustone** is the perfect way to live in nature with a dash a luxury and class.







Alina Brown



Alina Grey



Alina Erth Matt



Alina Ocre



Brun Tan



Cast Iron Marfil



Cast Iron Wengue Matt













Satin

Satin

Dyna Smoggy


Satin



Emprador Beige Smoggy Satin



Opal Smoggy




Satin



Crema Linear



Dyna Stripe



Emprador Tryo Beige



Opal Linea Smoggy

Satin



AMAZE!










Matrix Crema


Matrix Cafe

Matrix Pink

Matrix White







Wall tiles have the capability to change the look of your space as per your style. They are artistically designed with soothing Imprints, large enough to look premium and yet adaptable to fit the contours of your canvas. Latest technologies are implemented to develop them with utmost precision, remain error-free and cater to a wide range of aspects.













Neptune Bianco Glossy

Neptune Bianco Art Décor













Pearl Olive Glossy



Glossy Pearl Bianco



Pearl Brown Glossy




Ego Brown Glossy



Ego Brown Décor 9602



Ego Brown Mosaico Décor 106













French Bianco Glossy



French Opal Décor Glossy





French Gris Glossy



Fascino Crema Glossy




Fascino Crema Décor Glossy




Bottochino Glossy



Bottochino Art Décor Glossy

















Opal Liner Décor Matt




Opal Black Matt













Qubic Orange Matt



Qubic Beige Matt



Teakwood Brown Matt



Qubic Brown Matt



Qubic Wenge Matt



Teakwood Beige Matt

















Rover Choco





























Lego Graffito Matt Lego Brown



Domus Marfil

Glossy



Domus Marfil Décor

Glossy



Domus Ocre Décor

Glossy



Domus Ocre



Domus Blanco



Domus Blanco Décor

Glossy



Domus Gris Décor



Domus Gris Glossy



Domus Blanco

Glossy



Lemon Kitchen Décor

Glossy



Berry Kitchen Décor

Glossy



Domus Gris









Ginger Gold







Emprador Dark Bamboo

Emprador Dark

Glossy













Sara Glossy



Sara Décor Glossy



Sara Square Décor Glossy



Exotic Beige Glossy



Exotic Brown Level Décor Glossy



Exotic Brown Glossy



Exotic Bianco Glossy



Exotic Grafito Level Décor Glossy



Exotic Grafito Glossy



Travo Beige



Travo Beige Level Décor Glossy



Travo Mocha Melody Décor Glossy



Glossy Travo Mocha



Glossy **Emrald Grey**



Emrald Blue Melody Décor Glossy



Emrald Blue Arrow Décor Glossy



Glossy **Emrald Blue**



Karnis Beige




Karnis Beige Modern Décor Glossy



Karnis Beige Arrow Décor Glossy



Glossy Karnis Brown







Irish Bianco Glossy



Irish Aqua Oasis Décor Glossy



Irish Aqua Oasis Glossy






Irish Crema Oasis Glossy



Irish Brown Oasis Décor Glossy



Irish Brown Oasis Glossy



Irish Bianco Glossy



Irish Blue Oasis Décor Glossy



Irish Blue Oasis Glossy



Irish Grey Oasis Glossy



Irish Black Oasis Décor



Irish Black Oasis Glossy



Tupelo Oak Glossy



Tupelo Brown Décor Glossy



Tupelo Brown Glossy



Zocalo Blanco Glossy



Zocalo Honeycomb Décor Glossy



Zocalo Slate Glossy



Sunami Blue

Glossy



Sunami Brown

Glossy









Glaciar White Glossy



Glaciar White Scala Décor Glossy



Silverstone Bianco Glossy



Silverstone Grafito Glossy



Paladio Crema Glossy



Pebble Stone Décor Glossy



Greta Beige Glossy



Greta Beige Décor Glossy



Otta Crema Glossy



Otta Cube Décor Glossy



Otta Kitchen Décor Glossy



Otta Ocre Glossy





Tibet Crema Matt



Tibet Crema Portland Décor



Tibet Brown Portland Décor Matt



Matt Tibet Brown Newport Décor



Tibet Brown Matt



Matt Meridian Beige



Meridian Beige Stepper Décor Matt



Meridian Beige Cubica Décor Matt



Matt Meridian Brown



Metallix Beige Matt



Matt Meridian Bianco



Meridian Bianco Stepper Decor Matt



Meridian Bianco Cubica Decor Matt



Meridian Grafito



Metallix Brown Matt





Taco Beige



Faux Taco Décor

Matt



Taco Brown Décor

N A - ++



Taco Brown Matt



Matt

Fox Beige



Fox Beige Décor Matt



Fox Clay Décor Matt



Fox Clay Matt



Alloy Gris



Alloy Gris Décor

Matt

Matt



Alloy Steel Décor



Alloy Steel Matt





Harmony Bianco Matt






Harmony Grafito Matt



Matt Harmony Beige





Harmony Mocha Matt



Oakwood Light Matt





Oakwood Dark Strip









Thar Stone Blanco Matt



Thar Blanco Décor Matt



Matt Thar Stone Gris



Matt Thar Stone Beige



Matt Thar Beige Décor



Thar Stone Cotto



Dyna Beige Matt



Dyna Beige Strip



Dover Bianco



Dover Bianco Belice Décor Matt



Dover Grafito Belice Décor Matt



Dover Grafito Matt



Matt **Dover Crema**



Matt Dover Crema Belice Décor



Dover Brown Belice Décor Matt



Dover Brown Matt



Paradise Bianco





Paradise Grey




Paradise Black Matt



Paradise Crema Matt










Platinum Bianco



Platinum Bianco Décor B Matt



Platinum Grafito Matt



Athena Crema



Matt

Athena Crema Décor (Random) Matt



Athena Brown Matt



Charmwood Beige




Chamood Brown



Strip Wood Wenge


Matt


Matt































Brico



Country Wood Prada Décor



Niagra Grey



Niagra Brown



Wood Land Pine















Linea Brown Light

Glossy

Glossy

Glossy



Linea Brown Cube Décor



Linea Brown Flora Décor



Linea Brown Tea Party Glossy Décor



Linea Brown Dark Glossy



Linea Gris Light

Glossy



Linea Gris Flora Décor Glossy



Linea Gris Leaf Décor



Linea Gris Tea Time Décor Glossy



Linea Gris Dark



Lux Gris Light



Glossy Lux Gris Swing Décor



Lux Gris Crystal Décor Glossy



Lux Gris Dark Glossy



Lux Blue Light

Glossy



Lux Blue Mosaico Décor Glossy



Lux Blue Crystal Décor Glossy



Lux Blue Dark

Glossy







Oxo bianco



Oxo Bianco Décor



Oxo Grafito



Oxo Beige



Oxo Beige Paris Décor



Matt Oxo Brown



Matt Mist Crema



Matt

Mist Crema Décor



Matt Mist Brown



Matt Mist Bianco



Mist Bianco Décor



Matt Mist Grafito



Lumina Strip Crema



Lumina Strip Wenge





Matching Floors For 300x900mm



French Gris



Pearl Olive



Pearl Brown



Bolonia Brown



Bolonia Grafito



Amazon Dark



Ego Brown



Matt Bianco



Playa Bianco



Rustic Bianco



Inbloom

Irena Verde

Matching Floors For 300x600mm



Irish Brown



Irish Black



Irish Aqua



Irish Blue



Karnis Brown



Silverstone Grafito



Travo Mocha



Exotic Brown



Exotic Grafito



Dover Grafito



Paladio Crema



Glaciar White



Emrald Blue



Dyna Beige



Oakwood Dark



Dover Brown



Taco Brown



Meridian Brown



Meridian Grafito





Glossy Polar Pista Light



Polar Pista Mosaico Glossy Décor



Polar Pista Waves Glossy Décor



Polar Pista Dark



Glossy

Coral Beige



Coral Brown Mosaico Glossy Décor



Coral Brown Waves Glossy Décor



Glossy Coral Brown



Glossy Plazzo Beige



Plazzo Brown Diamond Glossy Décor



Plazzo Brown Flower Glossy Décor



Glossy Plazzo Brown



Albina Gris Matt



Albina Gris Trento Décor



Albina Gris Décor



Albina Nero

Matt





Stona Gris



Matt



Stona Grafito



Stona Brown

Matt



Matt

Stona Beige



Stona Natural



Jupiter Olive



Jupiter Brown



Jupiter Natural



Recta Wood Brown





Recta Wood Gris



Matching Floors For 300x600mm



Harmony Graito



Harmony Mocha



Thar Stone Cotto



Thar Stone Gris



Athena Brown



Eternity Brown



Platinum Grafito



Tibet Brown



Paradise Grey



Paradise Black



Emprador Dark



Paradise Crema



Paradise Bianco



Greta Beige FL



Fox Clay FL



Thunder Azul FL



Ginger Gold FL



Ginger Grey FL



Mazika FL



Tupelo Brown FL



Sara FL



Jade Dark Blue FL



Jade Turquoise Dark FL



Alloy Steel FL



Matching Floors For 300x450mm







Oxo Brown



Mist Brown



Mist Grafito



Albina Nero



Coral Brown



Linea Brown Dark



Linea Gris Dark



Lux Blue Dark



Lux Gris Dark



82

Technical Specifications

DGVT

Standards according to ISO 13006 / EN 14411 / IS 15622-2017 (Group B1a): Dry - Pressed Ceramic Tiles (Glazed Vitrified Tiles)

| CHARACTERISTIC | TEST METHOD | REQUIREMENTS | Standard | |
|--|--------------|---|-------------------|--|
| Dimensions & Surface Quality | | | | |
| Deviation in length & Width | ISO-10545-2 | ± 0.10% | Within Criteria | |
| Deviation in Thickness | ISO-10545-2 | ± 5.00% | Within Criteria | |
| Straightness of Sides | ISO-10545-2 | ± 0.10% | Within Criteria | |
| Rectangularity | ISO-10545-2 | ± 0.10% | Within Criteria | |
| Surface Flatness | ISO-10545-2 | ± 0.50% | Within Criteria | |
| Surface Quality | ISO-10545-2 | Min. 95% of the Tiles shall be free from visible defects that would impaire the appearance of a major area of the Tiles | Within Criteria | |
| | Physical P | • | | |
| Water Absorbtion | ISO 10545-03 | Average ≤ 0.08%, Individual 0.10% Max. | Within Criteria | |
| Modulus of Rapture | ISO 10545-04 | R ≥ 35 N/mm² | Compliant | |
| Breaking Strength | ISO 10545-04 | Min. 1300 N | Compliant | |
| Moisture Expansion | IS 15622-3 | 0.02 Max | Compliant | |
| Moh's Hardness | EN 101 | Min. 5 | Compliant | |
| Surface Abration Resistance | ISO 10545-07 | Class II Min. | Compliant | |
| Linear Thermal Expansion | ISO 10545-08 | Max. 6.0 x 10 ⁻⁶ | Compliant | |
| Thermal Shock Resistance | ISO 10545-09 | Min. 10 Cycles | Compliant | |
| Crazing Resistance | ISO 10545-11 | 4 Cycles at 7.5 Bar Min. | Compliant | |
| Impact Resistance | ISO 10545-05 | 0.55 Min. | Compliant | |
| Frost Resistance | ISO 10545-12 | Required | Compliant | |
| Resistance to Deep Abration (Unglazed Tiles) | ISO 10545-6 | 175 Max. | Compliant | |
| Bulk Density | IS 15622 - 2 | 2.20 g/cc | Compliant | |
| Chemical Properties | | | | |
| Resistance to High & Low Concentrations of Acids & Alkalis | ISO 10545-13 | As per Mfg. | No visible effect | |
| Resistance to household chemicals & swimming pool Salts | ISO 10545-13 | Min. GB | Compliant | |
| Stain Resistance | ISO 10545-14 | Min. Class 3 | Compliant | |

Wall Tile

Standards according to ISO 13006, Annex L / EN 14411 / IS 15622-2017 (Group BIII) : Pressed Ceramic Tiles

| CHARACTERISTIC | TEST METHOD | REQUIREMENTS | Standard | |
|--|--------------|---------------------------|-------------------|--|
| Dimensions & Surface Quality | | | | |
| Deviation in length & Width | ISO-10545-2 | ± 0.20% | Within Criteria | |
| Deviation in Thickness | ISO-10545-2 | ± 7.00% | Within Criteria | |
| Straightness of Sides | ISO-10545-2 | ± 0.15% | Within Criteria | |
| Rectangularity | ISO-10545-2 | ± 0.20% | Within Criteria | |
| Surface Flatness | ISO-10545-2 | ± 0.30% | Within Criteria | |
| Physical Properties | | | | |
| Water Absorbtion | ISO 10545-03 | > 10% | Compliant | |
| Modulus of Rapture (Flexural Strength) | ISO 10545-04 | R ≥ 15 N/mm² | Compliant | |
| Breaking Strength | IS 13630-06 | 600 Min. | Compliant | |
| Moisture Expansion | IS 13630-03 | 0.04 mm/M Max. | Compliant | |
| Thermal Shock Resistance | ISO 10545-09 | Min. 10 Cycles | Compliant | |
| Linear Thermal Expansion | ISO 10545-08 | < 9.0 x 10-6EC-1 | Compliant | |
| Impact Resistance | IS 13630-14 | 0.55 Min. | Compliant | |
| Crazing Resistance | ISO 10545-11 | 4 Cycles at 7.50 Bar Min. | Compliant | |
| Moh's Hardness | EN 101 | Min. Class 3 | Compliant | |
| Chemical Properties | | | | |
| Resistance to High & Low Concentrations of Acids & Alkalis | ISO 10545-13 | As per Mfg. | No visible effect | |
| Resistance to household chemicals & swimming pool Salts | ISO 10545-13 | Class AA Min. | Compliant | |
| Stain Resistance | ISO 10545-14 | Class 1 Min. | Compliant | |



Qrock Full Body Vitrified Tiles - 14mm

Standards according to ISO 13006 / EN 14411 / IS 15622-2017 (Group B1a): Dry - Pressed Ceramic Tiles (Glazed Vitrified Tiles)

| CHARACTERISTIC | TEST METHOD | REQUIREMENTS | Standard | |
|--|--------------|---|-------------------|--|
| Dimensions & Surface Quality | | | | |
| Deviation in length & Width | ISO-10545-2 | ± 0.10% | Within Criteria | |
| Deviation in Thickness | ISO-10545-2 | ± 5.00% | Within Criteria | |
| Straightness of Sides | ISO-10545-2 | ± 0.10% | Within Criteria | |
| Rectangularity | ISO-10545-2 | ± 0.10% | Within Criteria | |
| Surface Flatness | ISO-10545-2 | ± 0.50% | Within Criteria | |
| Surface Quality | ISO-10545-2 | Min. 95% of the Tiles shall be free from visible defects that would impaire the appearance of a major area of the Tiles | Within Criteria | |
| | Physical P | roperties | | |
| Water Absorbtion | ISO 10545-03 | Average ≤ 0.08%, Individual 0.10% Max. | Within Criteria | |
| Modulus of Rapture | ISO 10545-04 | R ≥ 35 N/mm² | Compliant | |
| Breaking Strength | ISO 10545-04 | Min. 1300 N | 2500 N | |
| Moisture Expansion | IS 13630-3 | 0.02 Max | Compliant | |
| Moh's Hardness | EN 101 | Min. 5 | Compliant | |
| Surface Abration Resistance | ISO 10545-07 | Class II Min. | Compliant | |
| Linear Thermal Expansion | ISO 10545-08 | Max. 6.0 x 10 ⁻⁶ | Compliant | |
| Thermal Shock Resistance | ISO 10545-09 | Min. 10 Cycles | Compliant | |
| Crazing Resistance | ISO 10545-11 | 4 Cycles at 7.5 Bar Min. | Compliant | |
| Impact Resistance | ISO 10545-05 | 0.55 Min. | Compliant | |
| Frost Resistance | ISO 10545-12 | Required | Compliant | |
| Resistance to Deep Abration (Unglazed Tiles) | ISO 10545-6 | 175 Max. | Compliant | |
| Bulk Density | IS 13630-2 | 2.20 g/cc | Compliant | |
| Chemical Properties | | | | |
| Resistance to High & Low Concentrations of Acids & Alkalis | ISO 10545-13 | As per Mfg. | No visible effect | |
| Resistance to household chemicals & swimming pool Salts | ISO 10545-13 | Min. GB | Compliant | |
| Stain Resistance | ISO 10545-14 | Min. Class 3 | Compliant | |

Packing Details:

| Brand | Dimension (mm) | Вох | | |
|------------|------------------------|-------------------|-------------------------|---------------------------|
| | | Tile / Box (Nos.) | Coverage / Box (Sq.ft.) | Coverage / Box (Sq.mtrs.) |
| DGVT | 600x1200mm | 2 | 15.50 | 1.44 |
| | 195x1200mm | 6 | 15.06 | 1.40 |
| | 800x800mm | 3 | 20.67 | 1.92 |
| | 600x600mm | 4 | 15.50 | 1.44 |
| Qrock | 600x1200mm - Full Body | 2 | 15.50 | 1.44 |
| | 600x600mm - Full Body | 4 | 15.50 | 1.44 |
| | 600x600mm - 14MM | 3 | 11.62 | 1.08 |
| ROBUSTON≣ | 600x600mm | 4 | 15.50 | 1.44 |
| | 300x900mm | 4 | 11.62 | 1.08 |
| WALL TILES | 300x600mm | 8 | 15.50 | 1.44 |
| | 300x450mm | 5 | 7.27 | 0.67 |
| | 300x300mm | 8 | 7.75 | 0.72 |

Disclaimer: Colors shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information give. However, the company reserves the right to change the specifications without any notice. Sometimes variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advice you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.



Technical Specifications

Standards according to ISO 13006 / EN 14411 / IS 15622-2017 (Group B1a): Dry - Pressed Ceramic Tiles (Glazed Vitrified Tiles)

| CHARACTERISTIC | TEST METHOD | REQUIREMENTS | RESULT | |
|--|--------------|---|-------------------|--|
| Dimensions & Surface Quality | | | | |
| Deviation in length & Width | ISO-10545-2 | ± 0.10% | Within Criteria | |
| Deviation in Thickness | ISO-10545-2 | ± 5.00% | Within Criteria | |
| Straightness of Sides | ISO-10545-2 | ± 0.10% | Within Criteria | |
| Rectangularity | ISO-10545-2 | ± 0.10% | Within Criteria | |
| Surface Flatness | ISO-10545-2 | ± 0.50% | Within Criteria | |
| Surface Quality | ISO-10545-2 | Min. 95% of the Tiles shall be free from visible defects that would impaire the appearance of a major area of the Tiles | Within Criteria | |
| | Physical P | roperties | | |
| Water Absorbtion | ISO 10545-03 | Average ≤ 0.08%, Individual 0.10% Max. | Within Criteria | |
| Modulus of Rapture | ISO 10545-04 | R ≥ 35 N/mm² | Compliant | |
| Breaking Strength | ISO 10545-04 | Min. 1300 N | Compliant | |
| Moisture Expansion | IS 15622-3 | 0.02 Max | Compliant | |
| Moh's Hardness | EN 101 | Min. 5 | Compliant | |
| Surface Abration Resistance | ISO 10545-07 | Class II Min. | Compliant | |
| Linear Thermal Expansion | ISO 10545-08 | Max. 6.0 x 10 ⁻⁶ | Compliant | |
| Thermal Shock Resistance | ISO 10545-09 | Min. 10 Cycles | Compliant | |
| Crazing Resistance | ISO 10545-11 | 4 Cycles at 7.5 Bar Min. | Compliant | |
| Impact Resistance | ISO 10545-05 | 0.55 Min. | Compliant | |
| Frost Resistance | ISO 10545-12 | Required | Compliant | |
| Resistance to Deep Abration (Unglazed Tiles) | ISO 10545-6 | 175 Max. | Compliant | |
| Bulk Density | IS 15622 - 2 | 2.20 g/cc | Compliant | |
| Chemical Properties | | | | |
| Resistance to High & Low Concentrations of Acids & Alkalis | ISO 10545-13 | As per Mfg. | No visible effect | |
| Resistance to household chemicals & swimming pool Salts | ISO 10545-13 | Min. GB | Compliant | |
| Stain Resistance | ISO 10545-14 | Min. Class 3 | Compliant | |

Packing Details:

| Dimension (mm) | Tile / Box (Nos.) | Coverage / Box (Sq. ft.) | Coverage / Box (Sq. mtrs.) |
|----------------|-------------------|--------------------------|----------------------------|
| 600x1200mm | 3 | 23.25 | 2.16 |
| 300x1200mm | 6 | 23.25 | 2.16 |
| 450x900mm | 4 | 17.44 | 1.62 |
| 300x600mm | 6 | 11.62 | 1.08 |

Note: Colors shown are as accurate as the limitations of the printing process will allow. Prospective customers are advised to inspect a sample of the tile before ordering. Every effort has been made to ensure the accuracy of the information given. However, the company reserves the right to change the specifications without any notice. Something variations in shade or size being inherent to ceramic industry may occur. Before fixing, we advice you to follow the fixing instructions on the cartons of the tiles as no responsibility can be accepted by the company once the tiles have been fixed.



